TENDERS

Quotation and Specification

RIB GT10



PRINCIPAL CHARACTERISTICS

Hull Material	GRP (Glass Reinforced Plastic) with inflatable collars
Collar Material	Hypalon-Neoprene
Length Overall	10.0 m
Beam Maximum	3.4 m (deflated collars 3.0m)
Static Draft	0.57 m (tilt up)
Engines	Outboard engines
Weight with the engine (dry)	3700 kg
Fuel Capacity	800 liters
Power	twin Yamaha 350
Maximum Speed	52 knots
Cruising Speed	32 knots
Seating Capacity (with crew)	14 persons
CE Category	B

A N T E

T E N D E R S

TECHNICAL SPECIFICATION

HULL

Construction	Hull and Deck, GRP composite single skin; bulkheads, frames and longitudinal, lightweight core cell foam sandwich, built in fuel tank (epoxy treated)
Inflatable collars	ORCA Hypalon-Neoprene
Color	Standard white

DECK

Flooring and sideway	Moulded antiskid surface
Fittings	Stainless steel fuel filling port and breather, pull-up cleats at bow (2), at stern (2), steel handrails, A4 fasteners
Anchoring equipment	Bruce anchor 8kg, with 25-meter rope
Aft area	Sunbed and bench with access hatch
Seating arrangement	11 guest seats and 1 crew
Cushions	“marine grade” upholstery

CONSOLE

Construction	Molded fiberglass, GRP, Standard white
Gauges, with SS rims	RPM, speed, oil pressure, water temp, fuel, voltage; with illumination
Switches	Waterproof illuminated rockers
Steering wheel	Standard aluminum or stainless steel, 350 mm
Throttle control	From engine suppliers, to be defined
Accessories	Double helm seat with “marine grade” upholstery, compass

ELECTRICAL

Batteries	Starting batteries - 12V w/boxes, 950 CCA, service batteries - 12V deep cycle (1), 220 Ah w/boxes
Distribution	12VDC breaker panel, - LED back light, battery parallel switching
Wiring	Marine grade tinned copper, color-coded

NAVIGATION EQUIPMENT / SIGNALING

Navigation lights	Combined, Port/Starboard LED (1), mast and anchor light on removable s/s pole on center console
Signaling	Horn - electric

MECHANICAL / PLUMBING

Bilge system	Two electric bilge pumps with float switches
Fuel system	Integrated fuel tank (epoxy treated), 800liter; 1x Water separator; Fuel Lines – Type A-1
Ventilation system	Extraction blower for fuel tank space

ELECTRONICS

Radio station	VHF station, handheld
Radio/CD	Fusion Radio/CD player with waterproof cover and 2 waterproof speakers

SAFETY EQUIPMENT

Lifesaving appliances	Life Jacket (kids & adults), first Aid Kit

ENGINE PACKAGE

Engines	Yamaha 350 – twin installation/300 hours logged Digital display/Power steering and accessories

A N T E
TENDERS

BOAT PER STANDARD SPECIFICATION

*Prices in Euros

OPTIONS

Artificial teak flooring - ESTHEC
Top coat – Silver metallic PPG
Carbon look inflatable tubes
Water-ski stainless steel pole
Retractable swimming ladders
Side boarding access each side - ESTHEC
Stainless steel/natural teak handrails
Two part sunshade with removable carbon poles
T-Top with full rain cover
Ice Box 50 liter
Electric anchor system
Aft shower with 200l freshwater tank
Deck wash system
Fusion Stereo system – 6 speakers/amplifier/subwoofer
Bow thruster – Lewmar 2Kw
GPS plotter GARMIN 7”
3.5 inch digital programmable gauges
Upholstery

DELIVERY TIME


Delivery time for one complete boat as per standard specification - 3 months

WARRANTY


1 year limited liability on top coat, upholstery and tubes

GENERAL ARRANGEMENT


GT 10




PROFILE VIEW



FRONT VIEW



LONGITUDINAL SECTION AT CENTERLINE



TOP VIEW

RIB 10 GT







V8
350
V8
350











V8
ARGO NAVIS









POSITION WATCH
CLICK TO SETUP


.V
ARGO NAVIS


YAMA






anchor
THRUSTER
FUEL
YAMAHA